



NET CONTENTS / CONTENU NET : 10 L (10.34 KG)

KEEP OUT OF REACH OF CHILDREN

Read entire label for additional precautionary statements. FOR PROFESSIONAL OR INDUSTRIAL USE ONLY.

TENIR HORS DE PORTÉE DES ENFANTS

Lire l'étiquette au complet pour des conseils de prudence supplémentaires. USAGE PROFESSIONNEL OU INDUSTRIEL SEULEMENT.

NOT A PLANT FOOD INGREDIENT.

CE PRODUIT N'EST PAS UN INGRÉDIENT ENTRANT DANS LA COMPOSITION DES ENGRAIS

Registration Number 20250125 Fertilizers Act
Numéro d'enregistrement 20250125 Loi sur les engrais

GUARANTEED MINIMUM ANALYSIS / ANALYSE MINIMALE GARANTIE :

Active Ingredient / Principe actif	99%	Alkoxylated Polyols / Polyols alkoxylés
Inert Ingredient / Matière inerte	1%	Water / Eau

**NOT RECOMMENDED FOR USE AS A FERTILIZER SUBSTITUTE /
L'UTILISATION DE CE PRODUIT COMME SUBSTITUT D'ENGRAIS N'EST PAS RECOMMANDÉE**

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE,
EXPOSURE OR ACCIDENT CONTACT: CHEMTREC
800-424-9300 within the United States and Canada, or
703-527-3887 for international collect calls.

EN CAS D'URGENCE IMPLIQUANT UN DÉVERSEMENT, UNE
FUITE, UN INCENDIE, UNE EXPOSITION OU UN ACCIDENT,
CONTACTEZ : CHEMTREC 800-424-9300 aux États-Unis et au
Canada, ou 703-527-3887 pour les appels internationaux à
frais virés.



AquaGro®L with PsiMatric™ Technology is a proprietary blend of surfactant chemistries specifically designed and developed to correct hydration and water/solute distribution problems associated with peat and/or bark media during production and post-production periods.

General Information

WHAT IT DOES: AquaGro L is designed to correct hydration and water/solute distribution issues.

WHERE AND WHEN TO USE: AquaGro L may be used on vegetables, and other crops grown in peat and/or bark media.

Initial Substrate Hydration:

PREPARATION OF MEDIA FOR FLATS, POTS, HANGING BASKETS, AND NURSERY CONTAINERS.

Media Treatment: For most mixes, apply 2 - 4 fl oz of AquaGro L per cu yd (77 - 155 mL/m³) in enough water to get uniform distribution and mix thoroughly. The surfactant should be applied in 2 gallons (9.9 L) of water per cubic yard (m³) of mix.

For difficult-to-wet mixes, use 5 - 7 fl oz of AquaGro L per cu yd (194 - 271 mL/m³) in enough water to get uniform distribution and mix thoroughly.

PREPARATION OF PLUG OR PROPAGATION MEDIA.

Apply 2 fl oz of AquaGro L per cu yd (77 mL/m³) in enough water to get uniform distribution and mix thoroughly. The surfactant should be applied in 2 gallons (9.9 L) of water per cubic yard (m³) of mix. Add surfactant to water and agitate or stir. Spray as uniformly as possible while media is blending.

For Use During Production:

PLANTS IN PRODUCTION

Drench with 600 ppm solution of AquaGro L (7.6 fl oz/100 gal of water, or 600 mL/1000 L of water). Additional drench applications can be applied every 4-6 weeks or following initial drench (see injection table).

AquaGro L can be applied by injection through an irrigation system by mixing in a fertilizer stock tank.

If using an untreated mix, drench with 600 ppm solution of AquaGro L (7.6 fl oz/100 gal of water, or 600 mL/1000 L of water), then reapply at 10 ppm (1.3 fl oz/100 gal of water, or 10 mL/1000 L of water) in each irrigation or 100 ppm (1.3 fl oz/100 gal of water, or 100 mL/1000 L of water) weekly.

If using a mix containing media surfactant, apply AquaGro L at 10 ppm (1.3 fl oz/100 gal of water, or 10 mL/1000 L of water) in each irrigation or 100 ppm (1.3 fl oz/100 gal of water, or 100 mL/1000 L of water) weekly.

Pre-Shipment Application For Post-Production Benefit:

Tank Mix:

To facilitate the application of AquaGro L, AquaGro L may be applied in conjunction with soil directed pesticides in a tank mix as a directed soil drench. AquaGro L treatment ensures uniform hydration by distributing water throughout the growing media.

AquaGro L has been found to be compatible with certain pesticides. Pesticide manufacturers may recommend a rate of non-ionic surfactant to be used with their product. Follow the pesticide or active ingredient label recommendations on use of surfactant. However, if the pesticide or active ingredient label does not have a specific recommendation for surfactant use but does not prohibit the use of a non-ionic surfactant, AquaGro L should be applied at the rates listed below. Careful observation of spray performance in a trial application with the combination of chemicals to be applied is recommended to determine proper and efficient surfactant rates.

AquaGro L has been found to be compatible with many commonly used fertilizers. Check physical compatibility, using the correct proportion in a small jar if local experience is unavailable. When mixing with fertilizer, add AquaGro L to the stock tank BEFORE dissolving the fertilizer. Stir the mixture well.

Cuttings:

Spray leaf surfaces to run-off or dip cuttings using a solution concentrate of 300 to 600 ppm; or about 4 fl oz to 8 fl oz per 100 gallons; or about 30 - 60 mL/100 L (approximately ¼ to ½ teaspoon per gallon or litre).

Injection Table

Ounces of AquaGro L per Gallon of Stock Solution

Injector Ratios	PPM			
	10	100	300	600
1:300	0.4	3.8	11.5	23.0
1:200	0.3	2.6	7.7	15.5
1:150	0.2	1.9	5.75	11.5
1:128	0.15	1.6	5.0	10.0
1:100	0.1	1.3	3.8	7.6
1:64	0.08	0.8	2.4	4.8
1:50	0.06	0.6	1.9	3.8
1:30	0.04	0.4	1.2	2.4
1:16	0.02	0.2	0.6	1.2

Injection Table

mL of AquaGro L per Litre of Stock Solution

Injector Ratios	PPM			
	10	100	300	600
1:300	3.1	29.7	89.8	179.7
1:200	2.3	20.3	60.2	121.1
1:150	1.6	14.8	44.9	89.8
1:128	1.2	12.5	39.1	78.1
1:100	0.8	10.2	29.7	59.4
1:64	0.6	6.3	18.8	37.5
1:50	0.5	4.7	14.8	29.7
1:30	0.3	3.1	9.4	18.8
1:16	0.2	1.6	4.7	9.4

Note: 1 fluid ounce / 29.6 mL = 2 Tablespoons

Determine the number of parts per million (ppm) of AquaGro L you want to inject. Find that number on the horizontal row.

Find the injection ratio of your system on the left hand vertical column.

Where the parts per million you wish to inject intersects with the injection ratio, that's the number of oz/mL of AquaGro L concentrate you need to add to each gallon/litre of stock solution.

For more detailed information call 1-800-257-7797.



1273 Imperial Way Paulsboro, NJ 08066 USA
1-800-257-7797 | aquatrolscompany.com

PAL01225B/CDB 05/01/2025



AquaGro®L with PsiMatric™ Technology is a proprietary blend of surfactant chemistries specifically designed and developed to correct hydration and water/solute distribution problems associated with peat and/or bark media during production and post-production periods.

General Information

WHAT IT DOES: AquaGro L is designed to correct hydration and water/solute distribution issues.

WHERE AND WHEN TO USE: AquaGro L may be used on vegetables, and other crops grown in peat and/or bark media.

Initial Substrate Hydration:

PREPARATION OF MEDIA FOR FLATS, POTS, HANGING BASKETS, AND NURSERY CONTAINERS.

Media Treatment: For most mixes, apply 2 - 4 fl oz of AquaGro L per cu yd (77 - 155 mL/m³) in enough water to get uniform distribution and mix thoroughly. The surfactant should be applied in 2 gallons (9.9 L) of water per cubic yard (m³) of mix.

For difficult-to-wet mixes, use 5 - 7 fl oz of AquaGro L per cu yd (194 - 271 mL/m³) in enough water to get uniform distribution and mix thoroughly.

PREPARATION OF PLUG OR PROPAGATION MEDIA.

Apply 2 fl oz of AquaGro L per cu yd (77 mL/m³) in enough water to get uniform distribution and mix thoroughly. The surfactant should be applied in 2 gallons (9.9 L) of water per cubic yard (m³) of mix. Add surfactant to water and agitate or stir. Spray as uniformly as possible while media is blending.

For Use During Production:

PLANTS IN PRODUCTION

Drench with 600 ppm solution of AquaGro L (7.6 fl oz/100 gal of water, or 600 mL/1000 L of water). Additional drench applications can be applied every 4-6 weeks or following initial drench (see injection table).

AquaGro L can be applied by injection through an irrigation system by mixing in a fertilizer stock tank.

If using an untreated mix, drench with 600 ppm solution of AquaGro L (7.6 fl oz/100 gal of water, or 600 mL/1000 L of water), then reapply at 10 ppm (1.3 fl oz/100 gal of water, or 10 mL/1000 L of water) in each irrigation or 100 ppm (1.3 fl oz/100 gal of water, or 100 mL/1000 L of water) weekly.

If using a mix containing media surfactant, apply AquaGro L at 10 ppm (1.3 fl oz/100 gal of water, or 10 mL/1000 L of water) in each irrigation or 100 ppm (1.3 fl oz/100 gal of water, or 100 mL/1000 L of water) weekly.

Pre-Shipment Application For Post-Production Benefit:

Tank Mix:

To facilitate the application of AquaGro L, AquaGro L may be applied in conjunction with soil directed pesticides in a tank mix as a directed soil drench. AquaGro L treatment ensures uniform hydration by distributing water throughout the growing media.

AquaGro L has been found to be compatible with certain pesticides. Pesticide manufacturers may recommend a rate of non-ionic surfactant to be used with their product. Follow the pesticide or active ingredient label recommendations on use of surfactant. However, if the pesticide or active ingredient label does not have a specific recommendation for surfactant use but does not prohibit the use of a non-ionic surfactant, AquaGro L should be applied at the rates listed below. Careful observation of spray performance in a trial application with the combination of chemicals to be applied is recommended to determine proper and efficient surfactant rates.

AquaGro L has been found to be compatible with many commonly used fertilizers. Check physical compatibility, using the correct proportion in a small jar if local experience is unavailable. When mixing with fertilizer, add AquaGro L to the stock tank BEFORE dissolving the fertilizer. Stir the mixture well.

Cuttings:

Spray leaf surfaces to run-off or dip cuttings using a solution concentrate of 300 to 600 ppm; or about 4 fl oz to 8 fl oz per 100 gallons; or about 30 - 60 mL/100 L (approximately ¼ to ½ teaspoon per gallon or litre).

Injection Table

Ounces of AquaGro L per Gallon of Stock Solution

Injector Ratios	PPM			
	10	100	300	600
1:300	0.4	3.8	11.5	23.0
1:200	0.3	2.6	7.7	15.5
1:150	0.2	1.9	5.75	11.5
1:128	0.15	1.6	5.0	10.0
1:100	0.1	1.3	3.8	7.6
1:64	0.08	0.8	2.4	4.8
1:50	0.06	0.6	1.9	3.8
1:30	0.04	0.4	1.2	2.4
1:16	0.02	0.2	0.6	1.2

Injection Table

mL of AquaGro L per Litre of Stock Solution

Injector Ratios	PPM			
	10	100	300	600
1:300	3.1	29.7	89.8	179.7
1:200	2.3	20.3	60.2	121.1
1:150	1.6	14.8	44.9	89.8
1:128	1.2	12.5	39.1	78.1
1:100	0.8	10.2	29.7	59.4
1:64	0.6	6.3	18.8	37.5
1:50	0.5	4.7	14.8	29.7
1:30	0.3	3.1	9.4	18.8
1:16	0.2	1.6	4.7	9.4

Note: 1 fluid ounce / 29.6 mL = 2 Tablespoons

Determine the number of parts per million (ppm) of AquaGro L you want to inject. Find that number on the horizontal row.

Find the injection ratio of your system on the left hand vertical column.

Where the parts per million you wish to inject intersects with the injection ratio, that's the number of oz/mL of AquaGro L concentrate you need to add to each gallon/litre of stock solution.

For more detailed information call 1-800-257-7797.

The
Aquatrols®
 Company

1273 Imperial Way Paulsboro, NJ 08066 USA
 1-800-257-7797 | aquatrolscompany.com

PAL01225B/CDB 05/01/2025



Precautionary Statements/First Aid Measures in Case of Contact

Precautionary Statements

- Caution: May cause irritation. Do not get in eyes.
- Avoid breathing vapours or mists.
- Avoid using product in a manner as to directly, or through drift, expose workers or other persons.
- Always consult the safety data sheet for specific instructions.
- Applicators and other handlers must wear goggles or a facial splash shield; chemical resistant gloves, such as nitrile rubber $\geq$ 14 mils or neoprene rubber $\geq$ 14 mils; coveralls or long sleeved shirt and long pants; shoes plus socks.
- Keep out of reach of children.

First aid measures in case of contact

- **EYE: DO NOT RUB EYES.** Immediately flush eyes with large amounts of water for 15 minutes lifting the lower and upper lids. Seek medical attention if necessary.
- **SKIN:** Remove contaminated clothing and immediately wash affected area with large amounts of water for at least 5 minutes. If irritation or redness persists, seek medical attention as needed.
- **INGESTION:** Give large amounts of water to drink. Seek medical attention if necessary. Induce vomiting only upon advice from a physician.
- **INHALATION:** Move individual to fresh air and check to ensure adequate respiration. Seek medical attention if necessary.

Applicators and other handlers should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove protective clothing and equipment after handling. Wash the outside of gloves before removing. Wash thoroughly and change into clean clothing.

For technical information and Safety Data Sheet (SDS), contact Aquatrols at 1-800-257-7797 or visit our website at www.aquatrols.com.

For more detailed information call 1-800-257-7797.

Storage and Disposal

- Keep container tightly closed. Store in original container only. Keep in a secure and locked storage area. Do not add water to the contents of this container.
- Triple rinse container and empty rinse water into spray or stock tank. Dispose of empty containers in accordance with federal, state and local law.

Condition of Sale Limited Warranty and Limitations of Liability and Remedies

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If the terms are not acceptable, do not use the product and instead, return the unopened product container immediately. By using this product, you accept the following Conditions, Disclaimer of Warranties and Limitation of Liability.

For technical information, contact Aquatrols Corporation at 800-257-7797. Information regarding the contents and levels of metals in this product is available on the internet at www.aapfco.org/metals.html

CONDITIONS: The directions for use on this label are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Insufficient performance or injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions, the failure to follow the label directions or good application practices, all of which are beyond the control of Aquatrols Corporation. In addition, failure to follow label directions may cause poor performance, injury to crop, animals, human, or the environment. You assumed all such risks by using this product.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, AQUATROLS CORPORATION MAKES NO OTHER WARRANTIES OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, CONCERNING THE PRODUCT, INCLUDING NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL AND NO SUCH WARRANTY SHALL BE IMPLIED BY LAW. No agent of Aquatrols Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, Aquatrols Corporation disclaims and any and all claims are waived any liability whatsoever for special, incidental or consequential damages or expense of any nature, including, but not limited to, loss of profit or income, resulting from the use or handling of this product.

LIMITATION OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, the remedy for any losses or cause of action relating to injuries, damages or the handling or use of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or, at Aquatrols Corporation's election, the replacement of the product. Aquatrols shall not be liable and any and all claims against Aquatrols are waived for special, indirect, incidental or consequential damages or expense of any nature, including, but not limited to, loss of profit or income.

AquaGro® L avec la technologie PsiMatric^{MC} est un mélange exclusif de surfactants chimiques spécialement conçu pour corriger les problèmes d'hydratation et de distribution de soluté dans l'eau associés aux substrats de tourbe et/ou d'écorces pendant et après la période de production.

Renseignements généraux

UTILISATION: AquaGro L est conçu pour corriger les problèmes d'hydratation et de distribution de soluté dans l'eau.

SITES ET PÉRIODE D'UTILISATION: AquaGro L peut être utilisé pour la culture des légumes et les autres cultures dans des substrats de tourbe et/ou d'écorces.

Mouillage initial du substrat :

PRÉPARATION DU SUBSTRAT POUR LES PLATEAUX DE CULTURE, LES POTS, LES PANIERS SUSPENDUS ET LES CONTENANTS DE PÉPINIÈRE.

Traitement du substrat : Pour la plupart des substrats, appliquer de 77 à 155 mL/m² d'AquaGro L dans suffisamment d'eau pour obtenir une répartition uniforme et remuer soigneusement. Le surfactant doit être appliqué dans 9,9 L d'eau par m² de substrat.

Pour les substrats difficiles à mouiller, appliquer de 194 à 271 mL/m² dans suffisamment d'eau pour obtenir une répartition uniforme et remuer soigneusement.

PRÉPARATION DE MOTTES OU DE SUBSTRAT DE PROPAGATION.

Appliquer 77 mL/m³ dans suffisamment d'eau pour obtenir une répartition uniforme et remuer soigneusement. Le surfactant doit être appliqué dans 9,9 L d'eau par m³ de substrat. Ajouter le surfactant à l'eau et agiter ou mélanger. Pulvériser le plus uniformément possible lors du mélange du substrat.

Pour une utilisation pendant la production :

PLANTES EN PRODUCTION

Effectuer un traitement par bassinage à l'aide d'une solution à 600 ppm d'AquaGro L (600 mL/1 000 L d'eau). D'autres traitements par bassinage peuvent être effectués à intervalles de 4 à 6 semaines ou à la suite du bassinage initial (voir le tableau d'injection).

AquaGro L peut être appliqué par injection par l'entremise d'un système d'irrigation en mélangeant le produit dans un réservoir d'engrais.

Si un substrat non traité est utilisé, effectuer un traitement par bassinage à l'aide d'une solution à 600 ppm d'AquaGro L (600 mL/1 000 L d'eau), puis appliquer à nouveau à raison de 10 ppm (10 mL/1 000 L d'eau) à chaque irrigation ou 100 ppm (100 mL/1 000 L d'eau) chaque semaine.

Si le substrat utilisé contient déjà un surfactant, appliquer AquaGro L à raison de 10 ppm (10 mL/1 000 L d'eau) à chaque irrigation ou 100 ppm (100 mL/1 000 L d'eau) chaque semaine.

Application avant l'expédition pour des avantages après la production :

Mélange en réservoir :

Pour faciliter l'application d'AquaGro L, AquaGro L peut être appliqué en association avec des pesticides pour le sol dans un mélange en réservoir pour bassiner le sol. Le traitement à l'aide d'AquaGro L assure un mouillage uniforme en distribuant l'eau dans le substrat de croissance.

AquaGro L s'est révélé compatible avec certains pesticides. Les fabricants de pesticides peuvent recommander une dose de surfactant non ionique à utiliser avec leur produit. Suivre les recommandations indiquées sur l'étiquette du pesticide ou du principe actif quant à l'utilisation d'un surfactant.

Toutefois, si l'étiquette du pesticide ou du principe actif n'inclut pas de recommandation spécifique quant à l'utilisation d'un surfactant, mais qu'elle n'interdit pas l'utilisation d'un surfactant non ionique, AquaGro L doit être appliqué aux doses indiquées ci-dessous. Il est recommandé d'observer attentivement le rendement de la pulvérisation, dans le cadre d'un essai avec un combinaison de produits chimiques à appliquer, afin de déterminer les doses de surfactant efficaces et appropriées.

AquaGro L s'est révélé compatible avec de nombreux engrais couramment utilisés. Vérifier la compatibilité physique en utilisant les proportions appropriées lors d'un essai en bocal si un essai local n'est pas possible.

Lorsque le produit est mélangé avec un engrais, ajouter AquaGro L au réservoir AVANT d'y dissoudre l'engrais.

Agiter soigneusement le mélange.

Boutures :

Pulvériser les surfaces des feuilles jusqu'au ruissellement ou tremper les boutures dans une solution concentrée de 300 à 600 ppm ou environ 30 à 60 mL/100 L (environ ¼ à ½ c. à thé par litre).

Tableau d'injection

Onces d'AquaGro L par gallon de solution mère				
Ratios d'injection	PPM			
	10	100	300	600
1:300	0.4	3.8	11.5	23.0
1:200	0.3	2.6	7.7	15.5
1:150	0.2	1.9	5.75	11.5
1:128	0.15	1.6	5.0	10.0
1:100	0.1	1.3	3.8	7.6
1:64	0.08	0.8	2.4	4.8
1:50	0.06	0.6	1.9	3.8
1:30	0.04	0.4	1.2	2.4
1:16	0.02	0.2	0.6	1.2

Tableau d'injection

mL d'AquaGro L par litre de solution mère				
Ratios d'injection	PPM			
	10	100	300	600
1:300	3.1	29.7	89.8	179.7
1:200	2.3	20.3	60.2	121.1
1:150	1.6	14.8	44.9	89.8
1:128	1.2	12.5	39.1	78.1
1:100	0.8	10.2	29.7	59.4
1:64	0.6	6.3	18.8	37.5
1:50	0.5	4.7	14.8	29.7
1:30	0.3	3.1	9.4	18.8
1:16	0.2	1.6	4.7	9.4

Remarque : 1 once liquide / 29,6 ml = 2 cuillères à table

Déterminez la quantité de parties par million (ppm) d'AquaGro L à injecter. Trouvez ce chiffre sur la ligne horizontale.

Trouvez le ratio d'injection de votre système sur la colonne verticale de gauche.

L'intersection entre la quantité de parties par million à injecter et le ratio d'injection correspond au nombre d'oz/ml de concentré AquaGro L à ajouter à chaque gallon/litre de solution mère.

Pour plus d'informations, appelez le 1-800-257-7797.

Conseils de prudence/Premiers soins en cas de contact

Conseils de prudence

- Attention : Peut provoquer une irritation. Éviter tout contact avec les yeux.
- Éviter de respirer les vapeurs ou les brouillards.
- Éviter d'appliquer ce produit de manière à exposer des travailleurs ou d'autres personnes par contact direct ou par dérive.
- Consulter toujours la fiche de données de sécurité pour obtenir des directives spécifiques.
- Les préposés à l'application et les autres préposés manipulant ce produit doivent porter des lunettes de protection ou un écran facial contre les éclaboussures; des gants résistant aux produits chimiques, comme des gants en caoutchouc nitrile $\geq$ 14 mils ou en caoutchouc néoprène $\geq$ 14 mils; une combinaison ou une chemise à manches longues et un pantalon long; des chaussettes et des chaussures.
- Tenir hors de portée des enfants.

Premiers soins en cas de contact

- **Yeux** : Ne pas se frotter les yeux. Rincer immédiatement les yeux à grande eau pendant 15 minutes en soulevant les paupières inférieures et supérieures. Le cas échéant, consulter un médecin.
- **Peau** : Enlever les vêtements contaminés et laver immédiatement la partie affectée à grande eau pendant au moins 5 minutes. Si l'irritation ou la rougeur persiste, consulter un médecin, le cas échéant.
- **Ingestion** : Faire boire beaucoup d'eau à la victime. Le cas échéant, consulter un médecin. Faire vomir uniquement sur l'avis d'un médecin.
- **Inhalation** : Déplacer la personne vers une source d'air frais et s'assurer qu'elle respire adéquatement. Le cas échéant, consulter un médecin.

Les préposés à l'application et les autres préposés manipulant ce produit doivent se laver les mains avant de manger, de boire, de mâcher de la gomme, de fumer ou d'aller aux toilettes. Retirer les vêtements et l'équipement de protection après la manipulation.

Laver l'extérieur des gants avant de les enlever. Se laver soigneusement et mettre des vêtements propres.

Pour des renseignements techniques et la fiche de données de sécurité (FDS), appeler Aquatrols au 1 800 257-7797 ou visiter notre site Web au www.aquatrols.com.

Pour de plus amples renseignements, composer le 1 800 257-7797.

Stockage et élimination

- Maintenir le récipient fermé de manière étanche. Entreposer uniquement dans le récipient d'origine. Entreposer dans une aire d'entreposage sécuritaire et verrouillée. Ne pas ajouter d'eau au récipient et à son contenu.
- Rincer le récipient trois fois et vider l'eau de rinçage dans le réservoir de pulvérisation ou de stockage. Éliminer les récipients vides conformément à la réglementation fédérale, provinciale et locale.

CONDITIONS DE VENTE GARANTIE LIMITÉE ET LIMITES DE RESPONSABILITÉ ET DE RECOURS

Lire le mode d'emploi, les conditions, l'exonération de garanties et la limite de responsabilité au complet avant d'utiliser ce produit. Si les modalités ne vous conviennent pas, n'utilisez pas ce produit et retournez immédiatement le récipient encore scellé. En utilisant ce produit, vous acceptez les conditions, l'exonération de garanties et la limite de responsabilité qui suivent.

Pour obtenir des renseignements techniques, appelez Aquatrols Corporation au 1 800 257-7797. Des renseignements quant à la teneur et aux niveaux de métaux dans ce produit sont disponibles à l'adresse suivante : www.aapfco.org/metals.html.

CONDITIONS : Le mode d'emploi sur cette étiquette est considéré comme fiable et devrait être suivi à la lettre. Il est toutefois impossible d'éliminer tous les risques associés à l'utilisation de ce produit. Un rendement insuffisant ou des dommages à la culture où le produit a été appliqué peuvent découler de situations hors du contrôle d'Aquatrols Corporation, telles que des conditions météorologiques extraordinaires ou inhabituelles ainsi que le non-respect du mode d'emploi ou des bonnes pratiques d'application. De plus, le non-respect du mode d'emploi peut entraîner un mauvais rendement ainsi que des dommages à la culture, aux animaux, à l'humain ou à l'environnement. En utilisant ce produit, vous assumez tous ces risques.

EXONÉRATION DE GARANTIES : DANS LES LIMITES PRÉVUES PAR LA LOI, AQUATROLS CORPORATION N'ACCORDE AUCUNE AUTRE GARANTIE ET NE FAIT AUCUNE AUTRE DÉCLARATION, EXPLICITE OU IMPLICITE, QUANT AU PRODUIT, Y COMPRIS AUCUNE GARANTIE DE COMMERCIALITÉ NI D'ADAPTATION À UNE FIN PARTICULIÈRE, AU-DELÀ DES ÉNONCÉS SUR CETTE ÉTIQUETTE ET AUCUNE GARANTIE NE POURRA ÊTRE APPLIQUÉE EN VERTU D'UNE LOI. Aucun agent d'Aquatrols Corporation n'est autorisé à accorder une garantie au-delà de celles contenues aux présentes ou de modifier les garanties contenues aux présentes. DANS LES LIMITES PRÉVUES PAR LA LOI, Aquatrols Corporation décline toute responsabilité et refuse toute réclamation pour des dépenses ou dommages spéciaux, accessoires ou indirects, quelle qu'en soit la nature, y compris, mais s'en s'y limiter, des pertes de profit ou de revenu, résultant de l'utilisation ou de la manipulation du produit.

LIMITE DE RESPONSABILITÉ : DANS LES LIMITES PRÉVUES PAR LA LOI, le recours pour des pertes, des blessures ou des dommages résultant de la manipulation ou de l'utilisation de ce produit, que ce soit en vertu d'un contrat, d'une garantie, d'un délit, de négligence, de responsabilité objective ou autre, ne doit pas dépasser le prix d'achat payé ou, au choix d'Aquatrols Corporation, le remplacement du produit. Aquatrols décline toute responsabilité et refuse toute réclamation pour des dépenses ou dommages spéciaux, accessoires ou indirects, quelle qu'en soit la nature, y compris, mais s'en s'y limiter, des pertes de profit ou de revenu.